

## Lichttechnik

Saallicht		komplett stufenlos Dimmbar
Lichpult	1	MA Lighting dot2 XL-F
	1	Zero88 Solution
Dimmerkanäle	30	Zero88 2 kW
	6	Ultralite 2 kW
	12	Zero 88 1 kW (Party)
Backtruss	4 * 4	Par 64 (CP 60, CP 61)
	2 * 8	ACL-Par36
	2 * 2	DWE-Par36
	4	Eurolite LED Bar RGB 252/10
	1	Profilspot (nicht fokussierbar)
50mm Stange	4	LED Wash GLP Impression 4Xs
(etwa 1m vor Backtruss)	4	Martin Rush MH1 Profile Plus
	1	Stroboskop 1500W
Front - Bühnenkante	2 * 4	Par 64 (CP 62)
	3	Fresnel 1 kW
Front - Saaltruss	2 * 4	Par 64 (CP 62)
	3	Fresnel 1 kW
	2	Profiler 1 kW 26°
Floorspots	2	Par 64 short (CP 61)
	8	Par 56 T-300 (300W)
	4	LED Wash GLP Impression 4Xs
		(in der Regel 4 an Mic-Stativen senkrecht)
Partylicht	2 * 4	Par 64 (CP 87, CP 88)
	6 * 4	Par 36 (ACL-like)
Nebel/Haze	1	Hazer Look UNIQUE 2.1

### Farbfilter (LEE) Auszug

027	Medium Red	101	Yellow	104	Deep Amber	106	Primary Red
113	Magenta	115	Peakok Blue	116	Med. Bl. Gr.	117	Steel Blue
119	Dark Blue	120	Deep Blue	124	Dark Green	126	Mauve
132	Medium Blue	135	Deep Golden Amber	139	Prim. Gr.	141	Bright Blue
154	Pale Rose	158	Deep Orange	162	Bastard Am.	164	Flame Red
165	Daylight Blue	179	Chrom Orange	181	Congo Blue	182	Light Red
201	Full CTB	204	Full CTO				

### Stromversorgung

1	CEE 63 A	Hauslicht
1	CEE 16 A	frei

### Haustechniker

Uli Straßner




Tel.: 07531/9 91 43 91 Fax.: 07531/5 51 39

Email: technik@kulturladen.de

## Lichttechnik

### Back Truss

Spot -Headshot auf Center  
 - nicht fokussierbar -dmx 34



### Saal Truss

## Lichttechnik

### DMX-Adressen

1-30 Dimmer 5 \* Zero88 Betapack 3  
31-36 Dimmer Ultralite  
37-60 Dimmer 6 \* Zero88 Delta 1kW - Disco  
61-66 Dimmer Disco-Pinspots & Houselight  
67-68 LED Pinpoint auf Halbspiegelkugel  
69-70 LED Pinpoint auf Halbspiegelkugel  
71-78 Strobe-Controller DMX-10V  
79-80 Hazer Look UNIQUE 2.1

101-112 Eurolite LED Bar RGB 252/10 - 1  
113-124 Eurolite LED Bar RGB 252/10 - 2  
125-136 Eurolite LED Bar RGB 252/10 - 3  
137-148 Eurolite LED Bar RGB 252/10 - 4  
149-160 Eurolite LED Bar RGB 252/10 - 5  
161-172 Eurolite LED Bar RGB 252/10 - 6

201-219 LED Wash GLP Impression 4Xs - 1  
221-249 LED Wash GLP Impression 4Xs - 2  
241-259 LED Wash GLP Impression 4Xs - 3  
261-279 LED Wash GLP Impression 4Xs - 4

301-319 LED Wash GLP Impression 4Xs - 5  
321-339 LED Wash GLP Impression 4Xs - 6  
341-359 LED Wash GLP Impression 4Xs - 7  
361-379 LED Wash GLP Impression 4Xs - 8

DMX 31, 32 und 33 Floor-Spots  
DMX 35 Pinspots Spiegelkugel-Saal  
DMX 36 Freier Dimmerkanal:  
DMX 71 1.5 kW Strobe Bühne  
DMX 75, 76, 77 und 78 Strobos Disco

### Strobe-Controller DMX-10V:

DMX-Wert 0-249 Bitzgeschwindigkeit  
DMX-Wert 250-255 Einzelblitz

### Pinpoint Halbmirrorball Eurolite LED PST-15:

DMX 67/69 Ch 1 Shutter  
DMX 68/70 Ch 2 Dimmer

### Hazer Look UNIQUE 2.1:

DMX 79 Ch 1 Pumpe  
DMX 80 Ch 2 Ventilator

### Eurolite LED Bar RGB 252/10:

Adressierung: DIP 10 ON, DIP 1-9 Adresse

#### 12-Kanal-Modus

CH 1 Dmx-Wert 1-15 startet 12 Kanal-Modus  
CH 2 Dimmer  
CH 3 Flash  
CH 4/5/6 RGB-Modul 1  
CH 7/8/9 RGB-Modul 2  
CH 10/11/12 RGB-Modul 3

#### 6-Kanal-Modus

CH 1 Dmx-Wert 16-30 startet 6 Kanal-Modus  
CH 2 Dimmer  
CH 3 Flash  
CH 4/5/6 RGB alle Module

### LED Wash GLP Impression 4Xs:

High Resolution (Extended) - Mode  
19 DMX Channels

CH 1 Pan  
CH 2 Pan fine  
CH 3 Tilt  
CH 4 Tilt fine  
CH 5 Red  
CH 6 Red fine  
CH 7 Green  
CH 8 Green fine  
CH 9 Blue  
CH 10 Blue fine  
CH 11 White  
CH 12 White fine  
CH 13 Shutter  
CH 14 Dimmer  
CH 15 Dimmer fine  
CH 16 Zoom (0 Wide, 255 Spot)  
CH 17 Special (0-3 Pattern, 250-255 Reset)  
CH 18 Pattern (0-2 No-Pattern, 3-253 predef. Pattern, 254-255 Pattern Byte 1)  
CH 19 Pattern Byte 1